# Haier

## Pinnacle Wall-Mounted Split System

Heating and cooling with air purification for true comfort.



## Key Features Pinnacle

2.5, 3.5, 5.0, 7.0, 9.0kW



#### Continuously Clean Air

Air is purified through a combination of air filtration through the Exquisite Filter, an additional tri-colour filter as well as UV Protect Sterilisation. With a push of a button, your air conditioner initiates Self-Clean, reducing dust and bacteria and also improves efficiency by keeping the heat exchanger clean.

#### Inhibits Airborne Germs

Health Mode uses UV Protect Sterilisation – ultraviolet LED technology used in hospital surface disinfection – to help inhibit airborne bacteria and viruses. The built-in LED UV lights have been shown to inhibit airborne bacteria and viruses at more than 91% effectiveness under specific test conditions.\*

#### Modern Design

Softly curved, matte design seamlessly fits into almost any space. Progressive design isn't just aesthetics, from the use of a low Global Warming Potential refrigerant to Wi-Fi connectivity and wireless control through the SmartHQ<sup>™</sup> app, Pinnacle is future-focussed.


#### Intelligent Airflow

Highly engineered airflow to automatically direct warm or cool air for ideal air circulation, air throw of up to 20m and Turbo Cool for fast cooling relief, all designed to create consistent comfort.



## **Healthy Air**


Focusing on air quality, Haier has developed a range of technologies that help to keep your air conditioner clean, functioning efficiently, and putting out fresh, clean air into your home.



#### **UV Protect Sterilisation**

UV Protect helps to deliver clean air to your room using Health mode, with built-in LED UV lights that kill airborne Staphylococcus aureus bacteria and the H3N2 virus at more than 91% effectiveness under specific test conditions.\*

#### UV STERILISATION





#### Self-Clean on Outdoor Unit

In addition to the self-cleaning technology within the indoor unit, Pinnacle has a self clean function for the outdoor unit, helping avoid and dust. Self-clean technology corrosion. By activating freezeand-defrost Cold Expansion technology, which loosens, then flushes, salt and dirt away from the outdoor coil, you keep your outdoor unit cleaner, effortlessly.

The Self-clean function rapidly freezes and defrosts the coil to remove unwanted dirt, mould, helps ensure clean airflow from your air conditioner.

t testing has found 91.47% elimination of the H3N2 virus in a 30m2 closed room and 92.78% of cus aureus bacteria in a 10m3 closed room, for two hours on Health mode at the highest fan spee

#### Cleaner Indoor Air


#### Antibacterial Technology

An internal coating of silver nanoparticles can inhibit bacterial growth on the surfaces of the indoor unit.

## **Efficient Design**

### Connected

The global No. 1 connected air conditioner brand<sup>\*</sup>, Haier makes life easier with convenient control of your Wi-Fi enabled appliances through the SmartHQ<sup>™</sup> app





**Control from Anywhere** 

remotely controlling your air conditioner from anywhere.

#### **Intuitive Hands-Free Control**

With voice control through Google Home Assistant or Amazon mode and fan speed, all from Alexa you can control your air conditioner and ensure the perfect environment without getting off the couch. Try commands like 'Set the air conditioner to 20 degrees', or 'Turn off the air conditioner'.


#### **Control and Monitor**

Control temperature, operating your SmartHQ<sup>™</sup> app. Check if you remembered to turn the air conditioner off, or set up a schedule to heat or cool your room to the perfect temperature.

#### **Connected Home**

With Haier and Fisher & Paykel appliances able to be connected to the SmartHQ<sup>™</sup> app, you can check in and manage all your other connected appliances, as well as control your air conditioner.

A combination of Intelligent Air, Coanda Plus Airflow and Turbo Cooling technologies work to deliver air around your space in a more intuitive way to warm or cool your space more quickly.



#### **R32 Refrigerant**

R32 – the refrigerant used in your Pinnacle wall mounted split system to transfer heat between the indoor and outdoor units – has a Global Warming Potential (GWP) of 675, 66% lower than alternative refrigerants like R410A.\*

# Intelligent Air

Intelligent Air directs cold air upwards and warm air downwards, for effective heating or cooling. Cool air is directed towards the ceiling avoiding a drafty chill on your neck from the cold airflow. The cool air then diffuses from the ceiling to the floor for total comfort.

#### **Coanda Plus**

In our 2.5-7kW models, Coanda Plus Airflow utilises technology from aircraft design, so that air flows further and faster to every corner of the room, giving you a more even and comfortable space.

#### **Far-Reaching Air Flow**

With innovative fan and motor

Data source: Euromonitor International Ltd, research conducted in February 2023 based on 2022 retail volume sales data. Connected air conditioner is defined as air conditioners with connectivity capability to communicate with other appliances and/or other devices and/or consumers.



#### Sleep Mode

A specially developed Sleep Mode raises, lowers and maintains the temperature of your bedroom throughout the night to create an ideal sleeping environment, hour by hour.

technology, air from your Pinnacle reaches long distances - as much as 20 metres with the 7kW model.

#### Turbo Cooling

The Turbo program boosts the fan to work at a higher speed, bringing you a cool room in a shorter time.

## Specifications

Indoor Units

08

Model AS26PBDHRA (2.5kW) Model AS35PBDHRA (3.5kW) Model AS53PDDHRA (5.0kW) Model AS71PDDHRA (7.0kW) Model AS90PFDHRA (9.0kW)





Model 1U90PFDHRA (9.0kW)

Outdoor Units Model 1U26MACFRA (2.5kW) Model 1U35MACFRA (3.5kW)



Controller



Model 1U53RACFRA (5.0kW)

Model 1U71RACFRA (7.0kW)



YR-HE, ver 2



– Simple button design

- Precise temperature control
- Clearer messaging with HEAT and COOL displayed in words on the remote buttons.

	Set	AS26PBDHRA-SET	AS35PBDHRA-SET	AS53PDDHRA-SET	AS71PDDHRA-SET	AS90PFDHRA-SE
	Indoor	AS26PBDHRA	AS35PBDHRA	AS53PDDHRA	AS71PDDHRA	AS90PFDHRA
Model	Outdoor	1U26MADFRA	1U35MADFRA	1U53WADFRA	1U71WADFRA	1U90XADFRA
ZERL Star Rating	Cooling (Hot/Avg/Cold)	4.5/4.0/4.0	3.5/3.5/3.5	3.5/3.0/3.5	2.5/2.5/2.5	4.5/3.5/4.0
	Heating (Hot/Avg/Cold)	3.5/3.0/2.0	3.0/2.5/1.5	3.0/2.5/2.0	2.5/2.0/1.5	2.5/2.0/1.5
Capacity (kW) Rated (Min~Max)	Cooling (kW)	2.5 (1.2 ~ 3.0)	3.5 (1.2 ~ 3.9)	5.0 (1.3 ~ 5.5)	7.0 (1.8 ~ 7.5)	9.0 (2.6 ~ 9.8)
	Heating (kW)	3.0 (1.2 ~ 3.6)	3.7 (1.3 ~ 4.3)	5.5 (1.4 ~ 6.2)	7.6 (1.8 ~ 8.2)	9.5 (3.0 ~ 11.0)
Power input (kW) Rated (Min~Max)	Cooling	0.56 (0.23 ~ 1.18)	0.92 (0.30 ~ 1.4)	1.30 (0.2 ~ 1.9)	2.12 (0.3 ~ 2.6)	2.65 (0.67 ~ 3.3)
	Heating	0.68 (0.21 ~ 1.5)	1.0 (0.29 ~ 1.7)	1.4 (0.2 ~ 2.5)	2.27 (0.3 ~ 2.7)	2.66 (0.69 ~ 3.7)
EER/AEER		4.46/4.40	3.80/3.76	3.85/3.82	3.30/3.29	3.40/3.37
COP/ACOP		4.41/4.36	3.70/3.66	3.93/3.91	3.35/3.29	3.57/3.54
Electrical						
	Cooling	2.5	4.1	6.0	9.5	11.8
Rated Load Amps (Amp)	Heating	2.9	4.4	6.4	10.0	12.0
MCA Max Circuit Amps (A	mp)	7.2	8.1	11.0	12.2	16.0
Breaker size (Amp)		10	10	16	20	20
Power cable connection lo	ocation	Outdoor				
Power supply (Ph/V/Hz)		1/220-240/50				
Refrigeration						
Refrigerant Type		R32				
Refrigerant Factory Charge (kg)		0.80	0.84	1.02	1.10	1.55
	Liquid Line mm (inch)			6.35 (1/4)		
Pipe Size	Suction Line mm (inch)	9.52 (¾)		12.70 (1/2) 15.88 (5/2		15.88 (5/8)
Pipe Length (Min~Max)		3~15		3~25 3–25		3–25
Maximum Height Difference (m)		10 15				
Precharged up to a Length (m)		7 10				
Additional Refrigerant (grams/meter)		20				
Indoor Unit						
Model		AS26PBDHRA	AS35PBDHRA	AS53PDDHRA	AS71PDDHRA	AS90PFDHRA
Net dimensions – W/D/H	(mm)	805/200/292	805/200/292	970/220/320	970/220/320	1316/275/365
Net weight (kg)		8.7	8.7	11.6	11.6	21.5
Air Flow T/H/M/L Cooling (L/S)		155/133/97	180/152/125	260/228/195	305/260/220	320/305/290
Sound Pressure Level – SWL (dBA)		40/36/32/21	40/36/32/22	47/43/37/33	48/44/38/33	48/42/36/30
Remote				YR-HE		
Outdoor Unit						
		1U26MADFRA	1U35MADFRA	1U53WADFRA	1U71WADFRA	1U90XADFRA
Model		TOZONADI KA				
	W/D/H	800/275/553	800/275/553	890/340/705	890/340/705	950/370/815
Net dimension (mm)	W/D/H		800/275/553 30.0	890/340/705 43.2	890/340/705 43.5	950/370/815 51
Net dimension (mm) Net weight (kg)	W/D/H	800/275/553				
Model Net dimension (mm) Net weight (kg) Compressor Type Sound Pressure Level (dB.		800/275/553		43.2		

Outdoor (Min~Max) Cooling (kW) Outdoor (Min~Max) Heating (kW)

Outdoor (Min-Max) Heating (kW)

-10°C to +46°C		
-15°C to +24°C		



## **Our Brand**

Empowering smarter, happier, and healthier living, Haier leads with smart technologies across a range of home appliances. Haier is the world's leading brand of connected air conditioners with an impressive market share of over 33% in volume sales in 2022<sup>\*</sup>.

39	$\bigoplus$
Year History	Experience
OUNDED IN CHINA IN 1984	OPERATING IN 160 COUNTRIES
ng and Cooling Expertise	As one of the work a comprehensive r conditioning and w and businesses ac
	In Australasia, Haid a trusted brand the leverage Haier's glo to provide industry in Australia and Ne
Warranty	Enjoy peace of mir

Heatin

5 Year





NATIONWIDE SUPPORT

Id's largest heating and cooling brands, Haier offers range of industrial, commercial, and residential air water heating products. These are trusted in homes ross the globe.

ier's strength is complemented by Fisher & Paykel, hat is now part of the Haier Group. Together, they lobal reach and Fisher & Paykel's local service network y-leading products and support to our customers w Zealand.

nd with a 5 year manufacturer's warranty.

#### Customer Care

Visit the website for more information Australia: haierhome.com.au

Customer support and service booking Australia: 1300 729 948



LEARN MORE ABOUT OUR PRODUCT HERE

## Haier