

Haier

600 Series Q Wall-Mounted Split System

Our most efficient model in terms of cooling performance,
with a premium, sleek design.





Our Brand

Empowering smarter, happier, and healthier living, Haier leads with smart technologies across a range of home appliances. Haier is the world's number one major appliance brand for smart,^{*} healthy Self-Clean air conditioners,^{**} and a global leader in major appliances for 16 years.^{***}



Award Winning
#1 SMART AIR
CONDITIONING BRAND
IN THE WORLD*



Global Scale
OPERATING IN
160 COUNTRIES



Innovation + Quality
10 R&D CENTRES
GLOBALLY



Service + Support
NATIONWIDE
SUPPORT

Heating and cooling expertise

As one of the world's largest heating and cooling brands, Haier, founded in China in 1984, offers a comprehensive range of industrial, commercial, and residential air conditioning and water heating products. These are trusted in homes and businesses across the globe.

In Australasia, Haier's strength is complemented by Fisher & Paykel, a trusted brand that is now part of the Haier Group. Together, they leverage Haier's global reach and Fisher & Paykel's local service network to provide industry-leading products and support to our customers in Australia and New Zealand.

5 year warranty

Enjoy peace of mind with a 5 year manufacturer's warranty.

Our goods come with guarantees that cannot be excluded under Australian Consumer Law. You are entitled to a replacement or refund for a major failure and compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure. Our Manufacturer's Warranty is in addition to any rights and remedies that you may have and is not intended to limit any rights you may have, under Australian Consumer Law or any other law in relation to our products.



From grassroots to Grand Slams, Haier is a major supporter of tennis around the world. As the official Home Appliance Partner of the Australian Open and the official Partner of Tennis Australia, Haier is excited to share their love for the game with you.

*Haier is the number one brand of Wi-Fi with Bluetooth connected air conditioners in the world in terms of retail sales volume in 2024. Data source: Euromonitor International Ltd., measured in terms of retail sales volume in 2024, based on research completed by February 2025. Wi-Fi with Bluetooth Connected Air Conditioners are defined as air conditioners that can be controlled by consumers via internet or Bluetooth, through the built-in Wi-Fi+Bluetooth smart modules. Air conditioners only equipped with Wi-Fi-connectivity are excluded.

**Haier is the number one brand of healthy Self-Clean air conditioner in the world in terms of retail sales volume in 2024. Data source: Euromonitor International Ltd., measured in terms of retail sales volume in 2024, based on research completed by February 2025. Healthy Self-Clean Air Conditioners are defined as air conditioners which are capable of processing frosting (freezing) peeling off, defrosting, and discharge sewage, cleaning both the indoor and outdoor heat exchangers, and enabling the health self-cleaning function. Air conditioners equipped with only indoor unit's self-cleaning function are excluded.

***For 16 years, Haier has been the world's number one major appliance brand, based on volume sales. Data source: Euromonitor International Ltd; Consumer Appliances 2025ed, % unit share, 2024 volume sales data. Major Appliances category is the sum of dishwashers, home laundry appliances, large cooking appliances, microwaves and refrigeration appliances. Volume sales refers to sales in retail channel, builder merchants and construction channel.

Key Features 600 Series Q

2.5, 3.5, 5.0, 6.0, 7.1, 9.0kW



10-star energy rating*

Haier's most efficient wall-mounted air conditioner, the 600 Series Q 2.5kW model, receives a 10-star energy rating for cooling in the hot climate zone.

Inhibits airborne germs

Health mode uses UV Protect sterilisation – ultraviolet LED technology used in hospital surface disinfection – to help inhibit airborne bacteria and viruses. The built-in LED UV lights have been shown to inhibit airborne bacteria and viruses at more than 91% effectiveness under specific test conditions.**

Design beyond the surface

Unobtrusive, stylish design is coupled with innovative design features under the hood. A premium back-lit remote makes operation a breeze. Our hydrophilic Blue Fin coating helps to protect the outdoor unit from corrosion while Self-Clean on both indoor and outdoor units helps keep the heat exchanger clean.


Intelligent airflow

Highly engineered airflow to automatically direct warm or cool air for ideal air circulation, air throw of up to 20m and Turbo Cool for fast cooling relief, all designed to create consistent comfort.

* IJ25MAEFRA/AS25QCEHRA rating published by energyrating.gov.au As tested to government regulations, actual usage may vary.
** Independent testing has found 91.47% elimination of the H3N2 virus in a 30m2 closed room and 92.78% of Staphylococcus aureus bacteria in a 10m3 closed room, for two hours on Health mode at the highest fan speed.

Efficient Design

A combination of 3D Airflow, Intelligent Air, Coanda Plus Airflow and Turbo cooling technologies work to deliver air around your space in a more intuitive way to warm or cool your space more quickly.



Energy efficiency

Our most efficient wall-mounted split system in terms of cooling performance.* Energy efficient innovations on all models including the DC inverter and Eco mode help to reduce how much power you use to heat or cool your home compared to models that don't have these features.

3D Airflow

For even comfort, our 3D Airflow means the airflow swings horizontally and vertically, evenly distributing the air throughout the space, even in large rooms. Say goodbye to cold corners with more consistent temperatures.

Intelligent Air

Intelligent Air directs cold air upwards and warm air downwards, for effective heating or cooling. Cool air is directed towards the ceiling avoiding a drafty chill on your neck from the cold airflow. The cool air then diffuses from the ceiling to the floor for total comfort.

Turbo cooling

The Turbo program boosts the fan to work at a higher speed, bringing you a cool room in a shorter time.

Coanda Plus

In our 2.5-7kW models, Coanda Plus Airflow utilises technology from aircraft design, so that air flows further and faster to every corner of the room, giving you a more even and comfortable space.

Far-reaching airflow

With innovative fan and motor technology, air from your 600 Series Q reaches long distances – as much as 20 metres with the 7kW model.

Connected

The global No. 1 connected air conditioner brand*, Haier makes life easier with convenient control of your Wi-Fi enabled appliances through the SmartHQ™ app.



Control from anywhere

Arrive home to comfort by remotely controlling your air conditioner from anywhere.

Intuitive hands-free control

With voice control through Google Home Assistant or Amazon Alexa you can control your air conditioner and ensure the perfect environment without getting off the couch. Try commands like 'Set the air conditioner to 20 degrees', or 'Turn off the air conditioner'.

Control and monitor


Control temperature, operating mode and fan speed, all from your SmartHQ™ app. Check if you remembered to turn the air conditioner off, or set up a schedule to heat or cool your room to the perfect temperature.

Connected home

With Haier and Fisher & Paykel appliances able to be connected to the SmartHQ™ app, you can check in and manage all your other connected appliances, as well as control your air conditioning.

Healthy Air

Focusing on air quality, Haier has developed a range of technologies that help to keep your air conditioner clean, functioning efficiently, and putting out fresh, clean air into your home.



UV Protect sterilisation

UV Protect helps to deliver clean air to your room using Health mode, with built-in LED UV lights that kill airborne Staphylococcus aureus bacteria and the H3N2 virus at more than 91% effectiveness under specific test conditions.**

Antibacterial technology

An internal coating of silver nanoparticles can inhibit bacterial growth on the surfaces of the indoor unit.

Cleaner indoor air

The Self-Clean function rapidly freezes and defrosts the coil to remove unwanted dirt, mould, and dust. Self-Clean technology helps ensure clean airflow from your air conditioner.

Self-Clean on outdoor unit

In addition to the self-cleaning technology within the indoor unit, the 600 Series Q has a Self-Clean function for the outdoor unit, helping avoid corrosion. By activating freeze-and-defrost Cold Expansion technology, which loosens, then flushes, salt and dirt away from the outdoor coil, you keep your outdoor unit cleaner, effortlessly.

* Haier is the number one brand of Wi-Fi with Bluetooth connected air conditioners in the world in terms of retail sales volume in 2024. Data source: Euromonitor International Ltd., measured in terms of retail sales volume in 2024, based on research completed by February 2025. Wi-Fi with Bluetooth Connected Air Conditioners are defined as air conditioners that can be controlled by consumers via internet or Bluetooth, through the built-in Wi-Fi+Bluetooth smart modules. Air conditioners only equipped with Wi-Fi-connectivity are excluded.



** Independent testing has found 91.47% elimination of the H3N2 virus in a 30m² closed room and 92.78% of Staphylococcus aureus bacteria in a 10m² closed room, for two hours on Health mode at the highest fan speed.

Specifications

Indoor units

Model AS25QCEHRA (2.5kW)
 Model AS35QCEHRA (3.5kW)
 Model AS50QDEHRA (5.0kW)
 Model AS60QEEHRA (6.0kW)
 Model AS71QEEHRA (7.1kW)



Model AS90QFDHRA (9.0kW)



Outdoor units

Model 1U25MAEFRA (2.5kW)
 Model 1U35MACFRA (3.5kW)



Model 1U50WAEFRA (5.0kW)
 Model 1U60WAEFRA (6.0kW)
 Model 1U71WAEFRA (7.1kW)



Model 1U90QADFRA (9.0kW)



Controller

Model YR-HJ



- Back-lit, easy to read screen
- Simple button design
- Precise temperature control

	Set	AS25QCEHRA-SET	AS35QCEHRA-SET	AS50QDEHRA-SET	AS60QEEHRA-SET	AS71QEEHRA-SET	AS90QFDHRA-SET
Model	Indoor	AS25QCEHRA	AS35QCEHRA	AS50QDEHRA	AS60QEEHRA	AS71QEEHRA	AS90QFDHRA
	Outdoor	1U25MAEFRA	1U35MACFRA	1U50WAEFRA	1U60KAEFRA	1U71WAEFRA	1U90QADFRA
Capacity (kW) Rated (min-max)	Cooling	2.5 (0.9-3.2)	3.5 (1.2-4.0)	5.0 (1.4-5.6)	6.0 (1.6-6.7)	7.1 (1.8-7.6)	9.0 (2.6-9.8)
	Heating (H1)	3.2 (0.9-3.6)	3.7 (1.3-4.2)	6.0 (1.5-6.5)	7.0 (1.8-7.5)	8.0 (2.2-8.6)	9.5 (3.0-11.0)
	Heating (H2)	2.9	3.1	4.6	6.2	6.65	7.3
Power input (kW) Rated (min-max)	Cooling	0.52 (0.18-1.05)	0.83 (0.25-1.30)	1.24 (0.36-1.90)	1.49 (0.41-1.95)	2.02 (0.48-2.70)	2.65 (0.67-3.30)
	Heating	0.70 (0.20-1.50)	0.86 (0.26-1.70)	1.48 (0.38-2.50)	1.73 (0.44-2.50)	2.28 (0.50-3.30)	2.66 (0.69-3.70)
EER/AEER		4.81/4.73	4.22/4.17	4.03/4.00	4.03/4.01	3.51/3.49	3.40/3.37
COP/ACOP		4.57/4.52	4.30/4.26	4.05/4.02	4.05/4.13	3.51/3.49	3.57/3.54
Star Rating (Hot/Average/Cold)	Cooling	10.0/7.0/7.5	8.5/6.0/7.0	6.0/5.0/5.5	4.5/4.0/4.5	5.5/4.5/5.0	4.5/3.5/4.0
	Heating	3.0/3.0/2.5	3.5/3.0/2.0	3.5/2.5/2.0	3.0/2.5/2.0	3.0/2.5/2.0	2.5/2.0/1.5
TCSPF (Hot/Avg/Cold)	Residential	12.196/8.799/9.388	10.253/7.910/8.612	7.934/6.834/7.373	6.369/5.849/6.136	7.036/6.138/6.646	6.078/5.394/5.746
HSPF (Hot/Avg/Cold)	Residential	4.913/4.543/4.042	5.004/4.542/3.968	5.067/4.302/3.670	4.664/4.228/3.712	4.935/4.242/3.635	4.481/3.908/3.392

Electrical

Rated load amps (RLA)	Cooling (Amp)	2.3	3.7	5.5	6.5	8.8	11.8
	Heating (Amp)	3.1	3.8	6.5	7.6	10.0	12.0
MCA max circuit amps (Amp)		7.0	7.5	11.0	13	17.0	16.0
Breaker size (Amp)		10	10	16	16	20	20
Power cable connection location		Outdoor					
Power supply (Ph/V/Hz)		1/220-240/50					

Refrigeration

Refrigerant type	R32					
Refrigerant factory charge (kg)	1.00	1.02	1.02	1.30	1.42	1.55
Pipe size	Liquid line mm	6.35 (¼")				
	Suction line mm	9.52 (¾")		12.70 (½")		15.88 (¾")
Pipe length (min-max)	3-15			3-25		
Maximum height difference (m)	10			15		
Pre-charged up to a length (m)	7			10		
Additional refrigerant (grams/meter)	20					

Indoor unit

Model	AS25QCEHRA	AS35QCEHRA	AS50QDEHRA	AS60QEEHRA	AS71QEEHRA	AS90QFDHRA	
External dimension - W/D/H (mm)	875x217x307	875x217x307	970x220x320	1106x240x345	1106x240x345	1316x275x365	
Net weight (kg)	10.0	10.0	11.6	15.5	15.5	21.5	
Air flow T/H/M/L	Cooling (L/S)	240/195/145/105	260/210/165/115	310/265/215/170	345/295/252/210	365/310/270/225	380/330/285/230
Sound pressure level - SPL (dBA)		40/36/32/21	40/36/32/22	47/43/37/33	48/44/38/33	48/44/38/33	48/42/36/30
Remote	YR-HJ						

Outdoor unit

Model	1U25MAEFRA	1U35MACFRA	1U50WAEFRA	1U60KAEFRA	1U71WAEFRA	1U90QADFRA
Net dimension - W/D/H (mm)	800x275x553	800x275x553	890x340x705	816x306x642	890x340x705	950x370x815
Net weight (kg)	30.0	30.0	43.2	37.5	44	51
Compressor type	Rotary					
Sound pressure level (dBA)	51	52	53	54	54	56
Sound power level (dBA)	61	63	66	67	68	69

Outdoor operating temperature range

Outdoor (min-max)	Cooling	-10°C ~ +46°C
Outdoor (min-max)	Heating	-15°C ~ +24°C

Notes: ZERL Zoned Energy Rating Label - residential air conditioning star rating based on GEMS 2019 Determination. Rated Load Amps (RLA) is based on nominal conditions. Use Minimum Circuit Amps (MCA) for power supply infrastructure sizing, etc. Test conditions are based on AS/NZS3823.1.1.

AO | Haier

OFFICIAL HOME APPLIANCES PARTNER

Make more time for tennis with Haier



Customer Care

Visit the website for more information
Australia: haierhome.com.au

Customer support and service booking
Australia: support.haier.com.au/s/book-a-service



LEARN MORE ABOUT
OUR PRODUCT HERE

Haier

V.03